Google scholar | property node runtime configur*   Search   Advanced Scholar Search
                                                                       Scholar Preferences

Scholar All articles Recent articles Results **1 - 10** of about **16,300** for **property node runtime config**

Did you mean: property node runtime *configure**

Partitionable services: A framework for seamlessly adapting distributed applications to ...-
▶ nyu.edu [PDF]
AA Ivan, J Harman, M Allen, V Karamcheti - 11th IEEE International Symposium on High ..., 2002 -
ieeexplore.ieee.org
... multiple component '**config**- urations' at **run time**; the Factors ... latter requires that
the TrustLevel **property** have a ... requirement states that a **node** in the ...
Cited by 42 - Related articles - All 15 versions

Design and implementation of a sensor network system for vehicle tracking and autonomous
...- ▶ berkeley.edu [PDF]
C Sharp, S Schaffert, A Woo, N Sastry, C Karlof ... - Wireless Sensor Networks, 2005. Proceedings of ... -
ieeexplore.ieee.org
... and utilize spa- tial and physical **properties** to design ... The **Config** component allows
run- time configuration of system ... The **node** management component is used for ...
Cited by 52 - Related articles - All 12 versions

[PDF] ▶ An implementation framework for **run-time** reconfigurable systems
M Eisenring, M Platzner - The Second International Workshop on Engineering ... - tik.ee.ethz.ch
... An ex- ample for a general **property** is that every commu- nication module has assigned
to a ... Each **node** of a cFSM may be annotated with the **run-time** of its ...
Cited by 12 - Related articles - View as HTML - All 7 versions

Online-configuration of software visualizations with Vizz3D- ▶ psu.edu [PDF]
T Panas, R Lincke, W Löwe - Proceedings of the 2005 ACM symposium on Software ..., 2005 - portal.acm.org
... Further, we allow binding functions to be implemented at **run-time** as well in case ...
Layout Algorithms assign position **properties** to scene graph **nodes**. ...
Cited by 23 - Related articles - All 4 versions

[PDF] ▶ Dynamic creation and management of **runtime** environments in the grid
K Keahey, M Ripeanu, K Doering - Workshop on Designing and Building Web Services (to ..., 2003 -
info.mcs.anl.gov
... Figure 1: **Runtime** environment creation and management. ... Local **node** 3. CreateRTE request
(includes credentials obtained in ... RTEs with the desired **properties** on a ...
Cited by 43 - Related articles - View as HTML - All 23 versions

[PDF] ▶ The Ocarina Tool Suite
T Vergnaud - AADL User Workshop, Paris, Oct, 2005 - la.sei.cmu.edu
... "low-level" **runtime** • scheduler + sockets (+ operating system?) ... Thomas Vergnaud
New **properties** • **node** location • GAIA::location : aadlstring ...
Cited by 2 - Related articles - View as HTML

Runtime support for reconfigurable real-time embedded systems
Z Papp - ... and Measurement Technology Conference, 2001. IMTC ..., 2001 - ieeexplore.ieee.org
... as methods' (eg emitting message on a port, associ- ating resource usage **property**
with a ... to support **runtime** reconfiguration - the component - **node** asso ...

Cited by 2 - Related articles - BL Direct

[PDF] ►Workflow support for advanced Grid-enabled computing
F Xu, MH Eres, F Tao, SJ Cox - Proceedings of the UK e-Science All Hands Meeting, 2004 - Citeseer
... Only the instance of the concept workflow can be executed in a **run-time** environment. ...
Simply filling the **property** sheet of each **node** can **configure** the ...
Cited by 3 - Related articles - View as HTML - All 10 versions

GraMMi: using a standard repository management system to build a generic graphical ...-
►psu.edu [PDF]
C Sapia, M Blaschka, G Hofling - System Sciences, 2000. Proceedings of the 33rd ..., 2000 - ieeexplore.ieee.org
... is either an edge type or a **node** type ... is used by GraMMi to **configure** its interface
at **runtime**. ... level, see section 7) that possess two **property** groups ("General ...
Cited by 13 - Related articles - All 7 versions

Role-based configuration of wireless sensor networks
C Frank - 2007 - e-collection.ethbib.ethz.ch
... In this **property**, wire- less sensor networks differ from ... based networks in which
some **nodes** are custom ... of the network in face of **runtime properties** that change ...
Cited by 1 - Related articles - All 2 versions

Did you mean to search for: property node runtime *configure**

Gooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

| property node runtime configur* | Search |

Go to Google Home - About Google - About Google Scholar

©2009 Google